



HZM5K




赫兹电力
HERTZ POWER

-
-
-
-
-
-
-
-
-
-

Бэú@f¼D7#·'c,,

赫兹电力
HERTZ POWER



赫兹电力
HERTZ POWER




	0.01V~750V	± 2% dg± 3dgt
	0.01V~1000V	± 2% dg± 3dgt

3

	DC 14.8V2200mAh 16.8V
	250V 500V 1000V 2500V 5000V
	5mA(10mA 3.5mA 1.5mA)
	L " L"
	G " G"
	E " E"
	V
	0.01M
	0.01V
	0.01V
	1 ~30)
LCD	4 LCD
LCD	128mm× 75mm
LCD	124mm× 67mm
	LED





赫兹电力
HERTZ POWER



FUNCTI ON 5000V/2500V/1000V/500V/250V

TEST 3

LCD

2 " "

TEST

HOLD

1000

1000

1

FUNCTI ON V

HOLD

PI /DAR DI SP

PI DAR1 DAR2

PI /DAR1/DAR2

10

1

30

15

TEST TIME

ENTER

0

LAMP

LCD

CLOCK

ENTER

READ

READ


DEL

Yes

No


ENTER






LI NE GUARD

2. 3. GUARD



3

3. 1.



3. 2. PI (DAR)

PI DAR

PI DAR

PI DAR PI

DAR

PI DAR

DAR

PI (R10min) 1 (R1min)

PI


PI DAR

$$PI(\text{极化指数}) = \frac{R_{10\text{ Min}}}{R_{1\text{ Min}}}$$

$$DAR1(\text{吸收比}) = \frac{R_{60\text{ Sec}}}{R_{15\text{ Sec}}}$$

1. R10Min= 10
2. R1Min=R60Sec= 1
3. R30Sec= 30
4. R15Sec= 15
5. DAR 15 30







赫兹电力
HERTZ POWER